

**New York State HIV/AIDS Surveillance
Semiannual Report**

**For Cases Diagnosed
through December 2005**

**Bureau of HIV/AIDS Epidemiology
New York State Department of Health**

April 2007

Notice to Readers

On June 1, 2000, the New York State Department of Health (NYSDOH) implemented the HIV Reporting and Partner Notification Law. This law enhanced the existing AIDS case reporting by including reporting of HIV and HIV-related illness by health care providers and laboratories to the New York State Commissioner of Health.

The HIV/AIDS case data used in this Semiannual Report has undergone both inter- and intra-state deduplication.

In 2004 the Centers for Disease Control and Prevention (CDC) completed the Interstate Duplication Evaluation Project (IDEP) in which all states were required to participate. The purpose of the project was to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases are only counted once. If a case was reported by two or more states, the earliest date of diagnosis was used to determine which state the case was assigned to. CDC estimated that 30,000 of the AIDS cases in the national surveillance system were duplicates, representing less than 5% of the almost 1 million cases that were reported to CDC over the history of the epidemic through 2002.

The percent of AIDS cases that were removed from the New York State (NYS) registry through this process was approximately 3%. Please note that this “loss” of AIDS cases will most likely not affect New York’s Ryan White funding or other funding based on the AIDS case count because New York’s estimated 3% decrease in AIDS cases was less than the average loss of cases for the nation, which was a little less than 5%. The data presented in this report series since June 2004 reflect this change in the AIDS case count for NYS. The December 2003, 2002 and 2001 reports were also updated to reflect this change. The interstate deduplication of cases is now conducted on an ongoing basis.

The Semiannual Report case data has also been deduplicated between New York City (NYC) and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH’s Bureau of HIV/AIDS Epidemiology (BHAЕ). In NYC, HIV/AIDS surveillance is conducted by the NYC Department of Health’s HIV Surveillance and Epidemiology Unit. Often, a case will be reported to both jurisdictions. NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. CDC deduplicates the data between the two jurisdictions for its own use. A case is only counted once and it is assigned to the county of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAЕ following the algorithm used by CDC.

Counts of prisoners and pediatric diagnoses in this report may be slightly higher than in previous reports due to minor changes in processing the input data files.

More finely delineated breakouts or tables based on data that has not been deduplicated may be obtained through our data request unit by calling 518-474-4284.

To familiarize yourself with the report’s format and the definitions used please read the following section, **Technical Notes on HIV/AIDS Surveillance Data**.

Technical Notes on HIV/AIDS Surveillance Data

Introduction

This is the HIV/AIDS Surveillance Semiannual Report, which is produced by the BHAЕ at the New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.nyhealth.gov/diseases/aids/statistics/index.htm>.

Printed copies can be obtained by those without internet access by writing to:

Bureau of HIV/AIDS Epidemiology
P.O. Box 2073 ESP Station Albany, New York 12220-0073

Information presented in this report is generated from data collected and maintained by BHAЕ and the NYC Department of Health's HIV Surveillance and Epidemiology Unit.

Reporting Procedures

As of June 1, 2000, the NYS HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III) requires health care providers to report all initial determinations of HIV infection, diagnosis of HIV-related illness and diagnosis of AIDS to the NYS Commissioner of Health.* Until June 2005 laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests.

Laboratories conducting HIV-related testing must report directly to the NYSDOH either electronically or on paper. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 8/05. Copies can be obtained by calling 518-474-4284.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology
P.O. Box 2073 ESP Station Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

* Please note that HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

Definition of Terms Used in this Report

Case: Case refers to a report for which confirmatory clinical and demographic data required by the national Centers for Disease Control and Prevention (CDC) have been obtained. Reports received without sufficient information to confirm the case or a confirmed case reported without risk are investigated by NYS or NYC public health representatives who examine medical records to obtain demographic information, clinical status and reported HIV exposure (risk).

In June 2006, NYSDOH's HIV surveillance system was modified to implement CDC's National Data Processing Initiative (NDPI). NDPI rules for counting HIV and AIDS cases are stricter than those previously in effect. A small number of cases in upstate New York that were countable for reporting purposes under old rules lacked required data elements and were no longer countable. BHAE is working to acquire the information needed to restore these cases. New York City cases are still reported using pre-NDPI rules. (See **Record Updates** below).

HIV/AIDS Case Categories: This report classifies cases into the four categories listed below. HIV and AIDS cases are mutually exclusive. The newly diagnosed HIV and AIDS cases are subsets of the living HIV and AIDS categories.

- **Living HIV Cases** - This category includes all reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases reported by a provider indicating an initial HIV diagnosis or an HIV illness and/or by a laboratory reporting a positive western blot or a detectable viral load.
- **Newly Diagnosed HIV Cases** - This is the subset of all living HIV cases that have been reported for the first time by a laboratory reporting a positive western blot or by a physician reporting an initial HIV diagnosis, and have *not* been reported with AIDS through the end of the reported time period. Please note that HIV reporting began in 2000 and that cases diagnosed prior to this time by a provider other than the current provider reporting the case may be misclassified as newly diagnosed.
- **Living AIDS Cases** - This category includes all reported individuals living with AIDS.
- **Newly Diagnosed AIDS Cases** - This is the subset of all living AIDS cases that are diagnosed and reported with AIDS for the first time. This includes cases that have never been reported before and cases initially reported with HIV infection that have subsequently developed AIDS.
- **Cumulative AIDS Cases** - This category includes all AIDS cases reported since 1983, both living and deceased.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department. In cases of HIV infection diagnosed before June 2000 that have not been investigated, the diagnosis date is the test date of the first laboratory report received.

Report date: The date that the case was confirmed.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically provided to health care providers during routine medical history taking, and is obtained from review of the patient's medical records. An individual may potentially have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this). Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Adult with undetermined mode of exposure

Children:

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive
- Transfusion or transplant recipient
- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure precedes heterosexual contact on the hierarchy.

An individual with HIV/AIDS for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if s/he knows the partner's risk and/or HIV status. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is

likely that many heterosexually exposed cases fail to meet these standards. Thus, a proportion of cases with an undetermined exposure category may be heterosexually exposed individuals.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Changes in the AIDS Surveillance Case Definition: A uniform surveillance case definition for AIDS was established by CDC in the early 1980s, and has since been modified three times, each time expanding the range of AIDS-indicator diseases and conditions and incorporating HIV diagnostic tests to improve the sensitivity and specificity of the definition. The first modification occurred in 1985, the second in 1987 and the most recent in 1993. The 1993 expansion of the AIDS case definition for adults and adolescent includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

Record Updates: When additional surveillance information is received on a confirmed case subsequent to the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. Therefore, month to month totals in some data elements (such as mode of exposure and diagnosis date) may change over time. With the implementation of HIV reporting, the number of prevalent HIV and AIDS cases for a specified period of time may change, as individuals initially reported with HIV develop AIDS and are moved from the "HIV" to the "AIDS" category.

Age at diagnosis: In this report, **age** designates **age at time of diagnosis**. This refers to the individual's age at the earliest, documented diagnosis of the condition in question. The CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Mortality Information: Vital status of cases is determined from updated case reports, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed and/or reported while incarcerated in city or county jails or one of the NYS Department of Corrections (DOCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCS facility. Prison cases are often presented separately from general population data because, if diagnosed while

incarcerated, residence reflects the address of the correctional facility, rather than their home address.

Regional Groupings: For this report, cases are assigned to the county of residence at time of diagnosis. In NYC, data include all individuals who were residents of one of the five New York City boroughs at the time of initial diagnosis. NYS, excluding NYC, include all individuals whose residence was anywhere in NYS outside of NYC at the time of initial diagnosis.

TABLE OF CONTENTS:

STATEWIDE

Table 1	AIDS cases by Region and Year of Diagnosis.....	Page 10
Table 2A	Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 11
Table 2B	Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 12

REGIONAL

Table 3A	NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 13
Table 3B	NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 14
Table 4A	NYS excluding NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 15
Table 4B	NYS excluding NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 16

NYS Excluding NYC – COUNTY

Table 5A	Living and Cumulative HIV/AIDS by County.....	Pages 17-18
Table 5B	Newly Diagnosed HIV/AIDS cases by County.....	Pages 19-20

NYC BY GENDER

Table 6A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 21
Table 6B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 22
Table 6C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 23
Table 6D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 24

NYS Excluding NYC by GENDER (excludes Prisoners)

Table 7A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 25
Table 7B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 26
Table 7C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 27
Table 7D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 28

PRISONERS - (NYS Excluding NYC)

Table 8A	Living HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 29
Table 8B	Newly Diagnosed HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 30

NYS Excluding NYC

Table 9A	Living and Cumulative HIV/AIDS cases by Ryan White Region.....	Page 31
Table 9B	Newly Diagnosed HIV/AIDS cases by Ryan White Region.....	Page 32

NYS Excluding NYC - Ryan White Regions

The following two tables have been generated for each of the Ryan White Regions:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 10 - A,B	Albany Ryan White Region	Pages 33-34
Table 11 - A,B	Binghamton Ryan White Region	Pages 35-36
Table 12 - A,B	Buffalo Ryan White Region.....	Pages 37-38
Table 13 - A,B	Lower Hudson Ryan White Region	Pages 39-40
Table 14 - A,B	Mid Hudson Ryan White Region	Pages 41-42
Table 15 - A,B	Nassau/Suffolk Ryan White Region	Pages 43-44
Table 16 - A,B	Rochester Ryan White Region	Pages 45-46
Table 17 - A,B	Syracuse Ryan White Region	Pages 47-48

NYC – Boroughs

Table 18A	HIV/AIDS Cases Diagnosed through June 2004.....	Page 49
Table 18B	Newly Diagnosed HIV/AIDS Cases, Diagnosed July 2003-June 2004.....	Page 50

The following two tables have been generated for each of the Boroughs:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 19 - A,B	Bronx	Pages 51-52
Table 20 - A,B	Brooklyn	Pages 53-54
Table 21 - A,B	Manhattan	Pages 55-56
Table 22 - A,B	Queens	Pages 57-58
Table 23 - A,B	Staten Island	Pages 59-60

STATEWIDE: Includes all 62 Counties

Table 1
New York State AIDS Cases* by Region and Year of Diagnosis

Year	Number of Cases Diagnosed		
	NYC	Upstate	Total
Prior to 1981	49	0	49
1981	148	7	155
1982	491	33	524
1983	1,046	124	1,170
1984	1,764	249	2,013
1985	2,716	450	3,166
1986	3,903	704	4,607
1987	4,881	1,024	5,905
1988	6,036	1,290	7,326
1989	6,367	1,575	7,942
1990	7,233	1,746	8,979
1991	8,338	2,132	10,470
1992	10,039	2,612	12,651
1993	11,546	2,831	14,377
1994	11,413	2,615	14,028
1995	10,193	2,673	12,866
1996	8,442	2,210	10,652
1997	6,736	1,565	8,301
1998	5,090	1,296	6,386
1999	4,840	1,227	6,067
2000	5,727	1,397	7,124
2001	4,904	1,337	6,241
2002	4,093	1,201	5,294
2003	4,769	1,239	6,008
2004	3,810	1,111	4,921
2005	3,677	1,152	4,829
<i>Total</i>	<i>138,251</i>	<i>33,800</i>	<i>172,051</i>

STATEWIDE: Includes all 62 Counties

Table 2A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through December 2005

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	27,191	64.9	49,000	70.3	127,991	74.4
	Female	14,471	34.6	20,714	29.7	44,058	25.6
	Unk	219	0.5	2	0.0	2	0.0
	<i>Total</i>	<i>41,881</i>	<i>100.0</i>	<i>69,716</i>	<i>100.0</i>	<i>172,051</i>	<i>100.0</i>
Age Group	12 & under	1,748	4.2	845	1.2	2,368	1.4
	13-19	1,116	2.7	718	1.0	986	0.6
	20-24	3,219	7.7	2,150	3.1	4,297	2.5
	25-29	5,214	12.4	6,483	9.3	16,315	9.5
	30-49	25,683	61.3	50,262	72.1	123,903	72.0
	50+	4,806	11.5	9,258	13.3	24,182	14.1
	Unk	95	0.2	0	0.0	0	0.0
	<i>Total</i>	<i>41,881</i>	<i>100.0</i>	<i>69,716</i>	<i>100.0</i>	<i>172,051</i>	<i>100.0</i>
Race/Ethnicity	White	9,906	23.7	14,933	21.4	43,636	25.4
	Black	18,537	44.3	31,836	45.7	75,766	44.0
	Hispanic	11,700	27.9	21,541	30.9	50,556	29.4
	Asian/PI	490	1.2	674	1.0	1,231	0.7
	Native Am	62	0.1	77	0.1	121	0.1
	Multi Race	355	0.8	410	0.6	435	0.3
	Other/Unk	831	2.0	245	0.4	306	0.2
	<i>Total</i>	<i>41,881</i>	<i>100.0</i>	<i>69,716</i>	<i>100.0</i>	<i>172,051</i>	<i>100.0</i>
Risk	MSM	11,943	28.5	17,644	25.3	48,529	28.2
	IDU	5,694	13.6	19,103	27.4	65,307	38.0
	MSM/IDU	597	1.4	1,725	2.5	5,227	3.0
	Heterosexual	6,836	16.3	10,976	15.7	19,505	11.3
	Blood Prod.	113	0.3	385	0.6	1,334	0.8
	Pediatric Risk	1,796	4.3	1,142	1.6	2,707	1.6
	Other/Unk	14,902	35.6	18,741	26.9	29,442	17.1
	<i>Total</i>	<i>41,881</i>	<i>100.0</i>	<i>69,716</i>	<i>100.0</i>	<i>172,051</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - December 2006*

***All cases reported and confirmed from 1983 - December 2006*

STATEWIDE: Includes all 62 Counties

Table 2B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	2,112	70.7	3,276	67.8
	Female	876	29.3	1,553	32.2
	<i>Total</i>	2,988	100.0	4,829	100.0
Age Group	12 & under	17	0.6	11	0.2
	13-19	133	4.5	86	1.8
	20-24	345	11.5	196	4.1
	25-29	434	14.5	307	6.4
	30-49	1,650	55.2	3,114	64.5
	50+	409	13.7	1,115	23.1
	<i>Total</i>	2,988	100.0	4,829	100.0
	Race/Ethnicity	White	615	20.6	882
	Black	1,458	48.8	2,407	49.8
	Hispanic	739	24.7	1,408	29.2
	Asian/PI	70	2.3	58	1.2
	Native Am	7	0.2	9	0.2
	Multi Race	94	3.1	63	1.3
	Other/Unk	5	0.2	2	0.0
	<i>Total</i>	2,988	100.0	4,829	100.0
Risk	MSM	1,147	38.4	1,249	25.9
	IDU	198	6.6	723	15.0
	MSM/IDU	29	1.0	90	1.9
	Heterosexual	470	15.7	792	16.4
	Blood Prod.	4	0.1	16	0.3
	Pediatric Risk	17	0.6	49	1.0
	Other/Unk	1,123	37.6	1,910	39.6
	<i>Total</i>	2,988	100.0	4,829	100.0

***Cases reported and confirmed through December 2006**

NEW YORK CITY - TOTAL

Table 3A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through December 2005

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	20,807	64.7	37,099	69.5	101,828	73.7
	Female	11,151	34.7	16,314	30.5	36,423	26.3
	Unk	217	0.7	0	0.0	0	0.0
	<i>Total</i>	<i>32,175</i>	<i>100.0</i>	<i>53,413</i>	<i>100.0</i>	<i>138,251</i>	<i>100.0</i>
Age Group	12 & under	1,479	4.6	733	1.4	2,052	1.5
	13-19	834	2.6	543	1.0	742	0.5
	20-24	2,458	7.6	1,680	3.1	3,394	2.5
	25-29	3,966	12.3	4,912	9.2	12,729	9.2
	30-49	19,652	61.1	38,167	71.5	99,114	71.7
	50+	3,771	11.7	7,378	13.8	20,220	14.6
	Unk	15	0.0	0	0.0	0	0.0
	<i>Total</i>	<i>32,175</i>	<i>100.0</i>	<i>53,413</i>	<i>100.0</i>	<i>138,251</i>	<i>100.0</i>
Race/Ethnicity	White	6,837	21.2	9,904	18.5	30,897	22.3
	Black	14,569	45.3	24,766	46.4	62,043	44.9
	Hispanic	9,446	29.4	17,801	33.3	43,765	31.7
	Asian/PI	441	1.4	626	1.2	1,147	0.8
	Native Am	39	0.1	43	0.1	68	0.0
	Multi Race	30	0.1	45	0.1	60	0.0
	Other/Unk	813	2.5	228	0.4	271	0.2
	<i>Total</i>	<i>32,175</i>	<i>100.0</i>	<i>53,413</i>	<i>100.0</i>	<i>138,251</i>	<i>100.0</i>
Risk	MSM	9,791	30.4	14,063	26.3	39,956	28.9
	IDU	3,298	10.3	13,864	26.0	51,867	37.5
	MSM/IDU	394	1.2	1,166	2.2	3,849	2.8
	Heterosexual	4,979	15.5	8,298	15.5	15,384	11.1
	Blood Prod.	71	0.2	244	0.5	842	0.6
	Pediatric Risk	1,508	4.7	958	1.8	2,298	1.7
	Other/Unk	12,134	37.7	14,820	27.7	24,055	17.4
	<i>Total</i>	<i>32,175</i>	<i>100.0</i>	<i>53,413</i>	<i>100.0</i>	<i>138,251</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - December 2006*

***All cases reported and confirmed from 1983 - December 2006*

NEW YORK CITY - TOTAL

Table 3B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	1,717	71.7	2,460	66.9
	Female	677	28.3	1,217	33.1
	<i>Total</i>	<i>2,394</i>	<i>100.0</i>	<i>3,677</i>	<i>100.0</i>
Age Group	12 & under	12	0.5	10	0.3
	13-19	101	4.2	65	1.8
	20-24	265	11.1	160	4.4
	25-29	367	15.3	246	6.7
	30-49	1,321	55.2	2,344	63.7
	50+	328	13.7	852	23.2
	<i>Total</i>	<i>2,394</i>	<i>100.0</i>	<i>3,677</i>	<i>100.0</i>
	Race/Ethnicity	White	423	17.7	539
	Black	1,261	52.7	1,916	52.1
	Hispanic	632	26.4	1,153	31.4
	Asian/PI	63	2.6	55	1.5
	Native Am	4	0.2	7	0.2
	Multi Race	7	0.3	5	0.1
	Other/Unk	4	0.2	2	0.1
	<i>Total</i>	<i>2,394</i>	<i>100.0</i>	<i>3,677</i>	<i>100.0</i>
Risk	MSM	962	40.2	1,007	27.4
	IDU	148	6.2	468	12.7
	MSM/IDU	17	0.7	69	1.9
	Heterosexual	365	15.2	577	15.7
	Blood Prod.	1	0.0	9	0.2
	Pediatric Risk	11	0.5	40	1.1
	Other/Unk	890	37.2	1,507	41.0
	<i>Total</i>	<i>2,394</i>	<i>100.0</i>	<i>3,677</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK STATE (Excluding NYC) - Includes Prisoners

Table 4A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through December 2005

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	6,384	65.8	11,901	73.0	26,163	77.4
	Female	3,320	34.2	4,400	27.0	7,635	22.6
	Unk	2	0.0	2	0.0	2	0.0
	<i>Total</i>	<i>9,706</i>	<i>100.0</i>	<i>16,303</i>	<i>100.0</i>	<i>33,800</i>	<i>100.0</i>
Age Group	12 & under	269	2.8	112	0.7	316	0.9
	13-19	282	2.9	175	1.1	244	0.7
	20-24	761	7.8	470	2.9	903	2.7
	25-29	1,248	12.9	1,571	9.6	3,586	10.6
	30-49	6,031	62.1	12,095	74.2	24,789	73.3
	50+	1,035	10.7	1,880	11.5	3,962	11.7
	Unk	80	0.8	0	0.0	0	0.0
	<i>Total</i>	<i>9,706</i>	<i>100.0</i>	<i>16,303</i>	<i>100.0</i>	<i>33,800</i>	<i>100.0</i>
Race/Ethnicity	White	3,069	31.6	5,029	30.8	12,739	37.7
	Black	3,968	40.9	7,070	43.4	13,723	40.6
	Hispanic	2,254	23.2	3,740	22.9	6,791	20.1
	Asian/PI	49	0.5	48	0.3	84	0.2
	Native Am	23	0.2	34	0.2	53	0.2
	Multi Race	325	3.3	365	2.2	375	1.1
	Other/Unk	18	0.2	17	0.1	35	0.1
	<i>Total</i>	<i>9,706</i>	<i>100.0</i>	<i>16,303</i>	<i>100.0</i>	<i>33,800</i>	<i>100.0</i>
Risk	MSM	2,152	22.2	3,581	22.0	8,573	25.4
	IDU	2,396	24.7	5,239	32.1	13,440	39.8
	MSM/IDU	203	2.1	559	3.4	1,378	4.1
	Heterosexual	1,857	19.1	2,678	16.4	4,121	12.2
	Blood Prod.	42	0.4	141	0.9	492	1.5
	Pediatric Risk	288	3.0	184	1.1	409	1.2
	Other/Unk	2,768	28.5	3,921	24.1	5,387	15.9
	<i>Total</i>	<i>9,706</i>	<i>100.0</i>	<i>16,303</i>	<i>100.0</i>	<i>33,800</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - December 2006*

***All cases reported and confirmed from 1983 - December 2006*

NEW YORK STATE (Excluding NYC) - Includes Prisoners

Table 4B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	395	66.5	816	70.8
	Female	199	33.5	336	29.2
	<i>Total</i>	<i>594</i>	<i>100.0</i>	<i>1,152</i>	<i>100.0</i>
Age Group	12 & under	5	0.8	1	0.1
	13-19	32	5.4	21	1.8
	20-24	80	13.5	36	3.1
	25-29	67	11.3	61	5.3
	30-49	329	55.4	770	66.8
	50+	81	13.6	263	22.8
	<i>Total</i>	<i>594</i>	<i>100.0</i>	<i>1,152</i>	<i>100.0</i>
	Race/Ethnicity	White	192	32.3	343
	Black	197	33.2	491	42.6
	Hispanic	107	18.0	255	22.1
	Asian/PI	7	1.2	3	0.3
	Native Am	3	0.5	2	0.2
	Multi Race	87	14.6	58	5.0
	Other/Unk	1	0.2	0	0.0
	<i>Total</i>	<i>594</i>	<i>100.0</i>	<i>1,152</i>	<i>100.0</i>
Risk	MSM	185	31.1	242	21.0
	IDU	50	8.4	255	22.1
	MSM/IDU	12	2.0	21	1.8
	Heterosexual	105	17.7	215	18.7
	Blood Prod.	3	0.5	7	0.6
	Pediatric Risk	6	1.0	9	0.8
	Other/Unk	233	39.2	403	35.0
	<i>Total</i>	<i>594</i>	<i>100.0</i>	<i>1,152</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK STATE: (Excluding NYC) by County

**Table 5A
HIV/AIDS Cases Diagnosed through December 2005**

County	AIDS**					
	Living HIV*		Living		Cumulative	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	378	423	539	583	1,082	1,135
Allegany	6	6	11	12	22	23
Broome	124	127	151	156	291	296
Cattaraugus	17	36	23	58	47	87
Cayuga	28	87	46	156	82	309
Chautauqua	68	115	70	95	122	152
Chemung	47	118	46	120	129	277
Chenango	15	19	29	38	44	60
Clinton	32	111	32	244	63	481
Columbia	43	81	36	66	87	142
Cortland	7	7	9	9	22	22
Delaware	19	19	25	27	45	47
Dutchess	219	450	409	786	938	1,668
Erie	634	716	917	1,039	1,954	2,172
Essex	9	47	12	86	34	185
Franklin	17	217	23	260	39	406
Fulton	21	22	25	28	45	49
Genessee	17	17	23	27	45	49
Greene	24	64	45	134	76	227
Hamilton	0	0	2	2	3	3
Herkimer	13	13	17	17	35	35
Jefferson	28	183	32	181	68	293
Lewis	21	21	6	6	12	12
Livingston	21	97	31	114	67	213
Madison	14	17	18	30	37	53
Monroe	730	770	1,125	1,181	2,221	2,293
Montgomery	27	29	37	38	79	80
Nassau	834	854	1,677	1,718	3,975	4,041
Niagara	62	65	94	100	229	235
Oneida	109	319	182	558	371	1,003
Onondaga	301	323	523	538	1,111	1,132
Ontario	29	29	40	42	62	64
Orange	247	336	510	666	1,155	1,411

***All cases reported and confirmed from June 2000 - December 2006**

****All cases reported and confirmed from 1983 - December 2006**

NEW YORK STATE: (Excluding NYC) by County

**Table 5A
HIV/AIDS Cases Diagnosed through December 2005**

County	AIDS**					
	Living HIV*		Living		Cumulative	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Orleans	18	206	31	269	48	391
Oswego	23	23	50	50	92	92
Otsego	20	20	37	38	72	73
Putnam	28	29	81	82	177	178
Rensselaer	92	100	140	145	270	276
Rockland	174	178	444	507	918	983
Saratoga	53	99	90	152	190	312
Schenectady	167	181	196	213	407	425
Schoharie	16	21	8	13	33	38
Schuyler	1	5	3	5	13	15
Seneca	17	73	12	72	24	91
St Lawrence	31	130	49	222	81	335
Steuben	30	31	29	30	76	78
Suffolk	869	915	1,658	1,707	3,900	3,984
Sullivan	125	184	195	278	498	659
Tioga	15	15	13	13	29	29
Tompkins	32	33	65	69	124	128
Ulster	144	297	266	493	609	976
Warren	25	25	35	35	65	65
Washington	12	83	22	134	48	311
Wayne	43	59	40	53	87	105
Westchester	859	1,147	2,088	2,421	4,695	5,241
Wyoming	9	106	14	184	25	349
Yates	8	8	3	3	10	10
Unk	0	0	0	0	1	1
<i>Total</i>	<i>6,972</i>	<i>9,706</i>	<i>12,334</i>	<i>16,303</i>	<i>27,084</i>	<i>33,800</i>

**All cases reported and confirmed from June 2000 - December 2006*

***All cases reported and confirmed from 1983 - December 2006*

NEW YORK STATE: (Excluding NYC) by County

Table 5B

Newly Diagnosed HIV/AIDS Cases* Diagnosed January 2005 - December 2005

County	Initial HIV Diagnosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	23	24	33	38
Allegany	1	1	2	2
Broome	9	9	14	14
Cattaraugus	2	2	3	10
Cayuga	3	3	3	9
Chautauqua	10	11	7	8
Chemung	7	8	8	19
Clinton	2	3	2	12
Columbia	0	0	3	4
Cortland	0	0	0	0
Delaware	0	0	4	4
Dutchess	23	25	30	66
Erie	54	54	69	80
Essex	0	0	2	5
Franklin	1	2	2	17
Fulton	2	2	2	2
Genessee	1	1	1	2
Greene	1	1	3	9
Hamilton	0	0	1	1
Herkimer	0	0	3	3
Jefferson	1	2	3	15
Lewis	0	0	0	0
Livingston	0	2	0	4
Madison	2	2	2	2
Monroe	53	55	91	99
Montgomery	2	2	4	4
Nassau	70	70	103	109
Niagara	10	10	9	10
Oneida	6	7	12	39
Onondaga	23	26	43	45
Ontario	1	1	5	5
Orange	31	32	41	52
Orleans	1	2	0	11
Oswego	1	1	8	8
Otsego	1	1	5	5

***Cases reported and confirmed through December 2006**

NEW YORK STATE: (Excluding NYC) by County

Table 5B

Newly Diagnosed HIV/AIDS Cases* Diagnosed January 2005 - December 2005

County	Initial HIV Diagnosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Putnam	2	2	6	6
Rensselaer	10	10	6	7
Rockland	10	10	41	43
Saratoga	5	5	9	11
Schenectady	17	18	18	18
Schoharie	0	1	0	0
Schuyler	0	0	1	1
Seneca	0	0	2	9
St Lawrence	0	0	4	9
Steuben	2	2	3	3
Suffolk	79	80	106	110
Sullivan	5	7	11	17
Tioga	3	3	1	1
Tompkins	2	2	4	4
Ulster	13	14	10	24
Warren	0	0	2	2
Washington	0	1	2	11
Wayne	4	7	3	4
Westchester	70	71	115	148
Wyoming	1	2	1	11
Unk	0	0	0	0
<i>Total</i>	<i>564</i>	<i>594</i>	<i>863</i>	<i>1,152</i>

**Cases reported and confirmed through December 2006*

NEW YORK CITY - Males

Table 6A

Living HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk Diagnosed through December 2005*

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	712	3.4	366	1.0
	13-19	463	2.2	283	0.8
	20-24	1,519	7.3	1,023	2.8
	25-29	2,589	12.4	3,190	8.6
	30-49	13,022	62.6	26,793	72.2
	50+	2,492	12.0	5,444	14.7
	Unk	10	0.0	0	0.0
	<i>Total</i>	<i>20,807</i>	<i>100.0</i>	<i>37,099</i>	<i>100.0</i>
Race/Ethnicity	White	6,002	28.8	8,478	22.9
	Black	7,838	37.7	15,352	41.4
	Hispanic	6,160	29.6	12,515	33.7
	Asian/PI	339	1.6	517	1.4
	Native Am	25	0.1	34	0.1
	Multi Race	20	0.1	31	0.1
	Other/Unk	423	2.0	172	0.5
	<i>Total</i>	<i>20,807</i>	<i>100.0</i>	<i>37,099</i>	<i>100.0</i>
Risk	MSM	9,791	47.1	14,063	37.9
	IDU	2,045	9.8	9,397	25.3
	MSM/IDU	394	1.9	1,166	3.1
	Heterosexual	1,484	7.1	2,769	7.5
	Blood Prod.	26	0.1	105	0.3
	Pediatric Risk	729	3.5	481	1.3
	Other/Unk	6,338	30.5	9,118	24.6
	<i>Total</i>	<i>20,807</i>	<i>100.0</i>	<i>37,099</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK CITY - Males

Table 6B

**Newly Diagnosed HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	4	0.2	3	0.1
	13-19	73	4.3	40	1.6
	20-24	189	11.0	114	4.6
	25-29	274	16.0	169	6.9
	30-49	964	56.1	1,570	63.8
	50+	213	12.4	564	22.9
	<i>Total</i>	<i>1,717</i>	<i>100.0</i>	<i>2,460</i>	<i>100.0</i>
Race/Ethnicity	White	382	22.2	464	18.9
	Black	793	46.2	1,139	46.3
	Hispanic	478	27.8	806	32.8
	Asian/PI	55	3.2	42	1.7
	Native Am	3	0.2	5	0.2
	Multi Race	3	0.2	2	0.1
	Other/Unk	3	0.2	2	0.1
	<i>Total</i>	<i>1,717</i>	<i>100.0</i>	<i>2,460</i>	<i>100.0</i>
Risk	MSM	962	56.0	1,007	40.9
	IDU	97	5.6	299	12.2
	MSM/IDU	17	1.0	69	2.8
	Heterosexual	118	6.9	232	9.4
	Blood Prod.	0	0.0	3	0.1
	Pediatric Risk	3	0.2	17	0.7
	Other/Unk	520	30.3	833	33.9
	<i>Total</i>	<i>1,717</i>	<i>100.0</i>	<i>2,460</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK CITY - Females

Table 6C

**Living HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed through December 2005***

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	745	6.7	367	2.2
	13-19	371	3.3	260	1.6
	20-24	935	8.4	657	4.0
	25-29	1,366	12.3	1,722	10.6
	30-49	6,482	58.1	11,374	69.7
	50+	1,247	11.2	1,934	11.9
	Unk	5	0.0	0	0.0
	<i>Total</i>	<i>11,151</i>	<i>100.0</i>	<i>16,314</i>	<i>100.0</i>
Race/Ethnicity	White	835	7.5	1,426	8.7
	Black	6,731	60.4	9,414	57.7
	Hispanic	3,285	29.5	5,286	32.4
	Asian/PI	102	0.9	109	0.7
	Native Am	14	0.1	9	0.1
	Multi Race	10	0.1	14	0.1
	Other/Unk	174	1.6	56	0.3
	<i>Total</i>	<i>11,151</i>	<i>100.0</i>	<i>16,314</i>	<i>100.0</i>
Risk	IDU	1,253	11.2	4,467	27.4
	Heterosexual	3,495	31.3	5,529	33.9
	Blood Prod.	45	0.4	139	0.9
	Pediatric Risk	757	6.8	477	2.9
	Other/Unk	5,601	50.2	5,702	35.0
	<i>Total</i>	<i>11,151</i>	<i>100.0</i>	<i>16,314</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK CITY - Females

Table 6D

**Newly Diagnosed HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	8	1.2	7	0.6
	13-19	28	4.1	25	2.1
	20-24	76	11.2	46	3.8
	25-29	93	13.7	77	6.3
	30-49	357	52.7	774	63.6
	50+	115	17.0	288	23.7
	<i>Total</i>	<i>677</i>	<i>100.0</i>	<i>1,217</i>	<i>100.0</i>
Race/Ethnicity	White	41	6.1	75	6.2
	Black	468	69.1	777	63.8
	Hispanic	154	22.7	347	28.5
	Asian/PI	8	1.2	13	1.1
	Native Am	1	0.1	2	0.2
	Multi Race	4	0.6	3	0.2
	Other/Unk	1	0.1	0	0.0
	<i>Total</i>	<i>677</i>	<i>100.0</i>	<i>1,217</i>	<i>100.0</i>
Risk	IDU	51	7.5	169	13.9
	Heterosexual	247	36.5	345	28.3
	Blood Prod.	1	0.1	6	0.5
	Pediatric Risk	8	1.2	23	1.9
	Other/Unk	370	54.7	674	55.4
	<i>Total</i>	<i>677</i>	<i>100.0</i>	<i>1,217</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK STATE (Excluding NYC) -Males

Table 7A

**Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk Diagnosed through December 2005***

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	126	3.0	58	0.7
	13-19	105	2.5	93	1.1
	20-24	327	7.7	211	2.5
	25-29	512	12.0	696	8.2
	30-49	2,632	61.8	6,243	73.6
	50+	507	11.9	1,176	13.9
	Unk	48	1.1	0	0.0
	<i>Total</i>	<i>4,257</i>	<i>100.0</i>	<i>8,477</i>	<i>100.0</i>
Race/Ethnicity	White	1,997	46.9	3,626	42.8
	Black	1,396	32.8	3,173	37.4
	Hispanic	647	15.2	1,415	16.7
	Asian/PI	25	0.6	33	0.4
	Native Am	11	0.3	17	0.2
	Multi Race	170	4.0	202	2.4
	Other/Unk	11	0.3	11	0.1
	<i>Total</i>	<i>4,257</i>	<i>100.0</i>	<i>8,477</i>	<i>100.0</i>
Risk	MSM	2,033	47.8	3,417	40.3
	IDU	672	15.8	2,301	27.1
	MSM/IDU	148	3.5	458	5.4
	Heterosexual	395	9.3	729	8.6
	Blood Prod.	26	0.6	96	1.1
	Pediatric Risk	134	3.1	103	1.2
	Other/Unk	849	19.9	1,373	16.2
	<i>Total</i>	<i>4,257</i>	<i>100.0</i>	<i>8,477</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK STATE (Excluding NYC) -Males

Table 7B

**Newly Diagnosed HIV/AIDS Cases (excluding prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	2	0.5	0	0.0
	13-19	19	5.1	13	2.2
	20-24	46	12.5	20	3.4
	25-29	45	12.2	27	4.6
	30-49	209	56.6	370	63.4
	50+	48	13.0	154	26.4
	<i>Total</i>	<i>369</i>	<i>100.0</i>	<i>584</i>	<i>100.0</i>
Race/Ethnicity	White	148	40.1	261	44.7
	Black	98	26.6	187	32.0
	Hispanic	68	18.4	109	18.7
	Asian/PI	3	0.8	2	0.3
	Native Am	3	0.8	1	0.2
	Multi Race	49	13.3	24	4.1
	<i>Total</i>	<i>369</i>	<i>100.0</i>	<i>584</i>	<i>100.0</i>
Risk	MSM	181	49.1	227	38.9
	IDU	26	7.0	96	16.4
	MSM/IDU	12	3.3	18	3.1
	Heterosexual	38	10.3	76	13.0
	Blood Prod.	1	0.3	6	1.0
	Pediatric Risk	2	0.5	6	1.0
	Other/Unk	109	29.5	155	26.5
	<i>Total</i>	<i>369</i>	<i>100.0</i>	<i>584</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK STATE (Excluding NYC) -Females

Table 7C

**Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk Diagnosed through December 2005***

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	139	5.1	53	1.4
	13-19	147	5.4	69	1.8
	20-24	284	10.5	157	4.1
	25-29	386	14.2	466	12.1
	30-49	1,460	53.8	2,708	70.2
	50+	272	10.0	402	10.4
	Unk	25	0.9	0	0.0
	<i>Total</i>	<i>2,713</i>	<i>100.0</i>	<i>3,855</i>	<i>100.0</i>
Race/Ethnicity	White	831	30.6	1,095	28.4
	Black	1,315	48.5	1,987	51.5
	Hispanic	431	15.9	650	16.9
	Asian/PI	18	0.7	10	0.3
	Native Am	5	0.2	11	0.3
	Multi Race	106	3.9	99	2.6
	Other/Unk	7	0.3	3	0.1
	<i>Total</i>	<i>2,713</i>	<i>100.0</i>	<i>3,855</i>	<i>100.0</i>
Risk	IDU	450	16.6	1,082	28.1
	Heterosexual	1,282	47.3	1,763	45.7
	Blood Prod.	15	0.6	39	1.0
	Pediatric Risk	151	5.6	79	2.0
	Other/Unk	815	30.0	892	23.1
	<i>Total</i>	<i>2,713</i>	<i>100.0</i>	<i>3,855</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK STATE (Excluding NYC) -Females

Table 7D

**Newly Diagnosed HIV/AIDS Cases (excluding prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	3	1.5	1	0.4
	13-19	13	6.7	6	2.2
	20-24	32	16.4	14	5.0
	25-29	19	9.7	24	8.6
	30-49	97	49.7	176	63.1
	50+	31	15.9	58	20.8
	<i>Total</i>	<i>195</i>	<i>100.0</i>	<i>279</i>	<i>100.0</i>
Race/Ethnicity	White	41	21.0	60	21.5
	Black	89	45.6	157	56.3
	Hispanic	34	17.4	45	16.1
	Asian/PI	3	1.5	0	0.0
	Native Am	0	0.0	1	0.4
	Multi Race	27	13.8	16	5.7
	Other/Unk	1	0.5	0	0.0
	<i>Total</i>	<i>195</i>	<i>100.0</i>	<i>279</i>	<i>100.0</i>
Risk	IDU	15	7.7	48	17.2
	Heterosexual	63	32.3	114	40.9
	Blood Prod.	2	1.0	1	0.4
	Pediatric Risk	4	2.1	3	1.1
	Other/Unk	111	56.9	113	40.5
	<i>Total</i>	<i>195</i>	<i>100.0</i>	<i>279</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK STATE (Excluding NYC) -PRISONERS

**Table 8A
Living HIV/AIDS Cases*
Diagnosed through December 2005***

			HIV		AIDS		
			Number	Percent	Number	Percent	
MALES	Age Group	12 & under	3	0.1	0	0.0	
		13-19	23	1.1	11	0.3	
		20-24	113	5.3	88	2.6	
		25-29	274	12.9	336	9.8	
		30-49	1,498	70.4	2,716	79.3	
		50+	211	9.9	273	8.0	
		Unk	5	0.2	0	0.0	
		<i>Total</i>		<i>2,127</i>	<i>100.0</i>	<i>3,424</i>	<i>100.0</i>
	Race/Ethnicity	White	173	8.1	257	7.5	
		Black	956	44.9	1,609	47.0	
		Hispanic	947	44.5	1,486	43.4	
		Asian/PI	5	0.2	5	0.1	
		Native Am	5	0.2	5	0.1	
		Multi Race	41	1.9	60	1.8	
		Other/Unk	0	0.0	2	0.1	
		<i>Total</i>		<i>2,127</i>	<i>100.0</i>	<i>3,424</i>	<i>100.0</i>
	FEMALES	Age Group	12 & under	1	0.2	0	0.0
			13-19	7	1.2	2	0.4
			20-24	37	6.1	14	2.6
25-29			76	12.5	72	13.2	
30-49			441	72.7	428	78.5	
50+			43	7.1	29	5.3	
Unk			2	0.3	0	0.0	
<i>Total</i>				<i>607</i>	<i>100.0</i>	<i>545</i>	<i>100.0</i>
Race/Ethnicity		White	67	11.0	50	9.2	
		Black	300	49.4	300	55.0	
		Hispanic	229	37.7	189	34.7	
		Asian/PI	1	0.2	0	0.0	
		Native Am	2	0.3	1	0.2	
		Multi Race	8	1.3	4	0.7	
		Other/Unk	0	0.0	1	0.2	
		<i>Total</i>		<i>607</i>	<i>100.0</i>	<i>545</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK STATE (Excluding NYC) -PRISONERS

Table 8B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, and Race/Ethnicity
Diagnosed January 2005 - December 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	26	86.7	232	80.3
	Female	4	13.3	57	19.7
	<i>Total</i>	<i>30</i>	<i>100.0</i>	<i>289</i>	<i>100.0</i>
Age Group	13-19	0	0.0	2	0.7
	20-24	2	6.7	2	0.7
	25-29	3	10.0	10	3.5
	30-49	23	76.7	224	77.5
	50+	2	6.7	51	17.6
	<i>Total</i>	<i>30</i>	<i>100.0</i>	<i>289</i>	<i>100.0</i>
	<i>Total</i>	<i>30</i>	<i>100.0</i>	<i>289</i>	<i>100.0</i>
Race/Ethnicity	White	3	10.0	22	7.6
	Black	10	33.3	147	50.9
	Hispanic	5	16.7	101	34.9
	Asian/PI	1	3.3	1	0.3
	Multi Race	11	36.7	18	6.2
	<i>Total</i>	<i>30</i>	<i>100.0</i>	<i>289</i>	<i>100.0</i>

***Cases reported and confirmed through December 2006**

NEW YORK STATE (Excluding NYC) by Ryan White Region

Table 9A

Living HIV/AIDS Cases* Diagnosed through December 2005

	Ryan White Region	Living HIV	Living AIDS	Cumulative AIDS
INCLUDES PRISONERS	Albany	1,542	2,198	4,255
	Binghamton	161	207	385
	Buffalo	1,267	1,784	3,458
	Lower Hudson	1,354	3,010	6,402
	Mid Hudson	1,267	2,223	4,714
	Nassau/Suffolk	1,769	3,425	8,025
	Rochester	1,190	1,620	3,146
	Syracuse	1,156	1,836	3,414
	Unk	0	0	1
	<i>Total</i>	<i>9,706</i>	<i>16,303</i>	<i>33,800</i>
EXCLUDES PRISONERS	Albany	955	1,304	2,638
	Binghamton	154	193	364
	Buffalo	831	1,183	2,492
	Lower Hudson	1,061	2,613	5,790
	Mid Hudson	735	1,380	3,200
	Nassau/Suffolk	1,703	3,335	7,875
	Rochester	926	1,329	2,689
	Syracuse	607	997	2,035
	Unk	0	0	1
	<i>Total</i>	<i>6,972</i>	<i>12,334</i>	<i>27,084</i>

NEW YORK STATE (Excluding NYC) by Ryan White Region

Table 9B

**Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2005 - December 2005**

	Ryan White Region	Initial HIV	Initial AIDS
INCLUDES PRISONERS	Albany	70	150
	Binghamton	12	15
	Buffalo	83	134
	Lower Hudson	83	197
	Mid Hudson	78	159
	Nassau/Suffolk	150	219
	Rochester	75	144
	Syracuse	43	134
	<i>Total</i>	<i>594</i>	<i>1,152</i>
EXCLUDES PRISONERS	Albany	64	98
	Binghamton	12	15
	Buffalo	80	92
	Lower Hudson	82	162
	Mid Hudson	72	92
	Nassau/Suffolk	149	209
	Rochester	67	113
	Syracuse	38	82
	<i>Total</i>	<i>564</i>	<i>863</i>

***Cases reported and confirmed through December 2006**

RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	590	61.8	910	69.8	2,001	75.9
	Female	364	38.1	393	30.1	636	24.1
	Unk	1	0.1	1	0.1	1	0.0
	<i>Total</i>	<i>955</i>	<i>100.0</i>	<i>1,304</i>	<i>100.0</i>	<i>2,638</i>	<i>100.0</i>
Age Group	12 & under	37	3.9	13	1.0	29	1.1
	13-19	29	3.0	15	1.2	21	0.8
	20-24	106	11.1	37	2.8	81	3.1
	25-29	162	17.0	147	11.3	323	12.2
	30-49	528	55.3	939	72.0	1,881	71.3
	50+	89	9.3	153	11.7	303	11.5
	Unk	4	0.4	0	0.0	0	0.0
	<i>Total</i>	<i>955</i>	<i>100.0</i>	<i>1,304</i>	<i>100.0</i>	<i>2,638</i>	<i>100.0</i>
Race/Ethnicity	White	479	50.2	621	47.6	1,430	54.2
	Black	310	32.5	456	35.0	818	31.0
	Hispanic	107	11.2	179	13.7	335	12.7
	Asian/PI	9	0.9	5	0.4	7	0.3
	Native Am	2	0.2	3	0.2	5	0.2
	Multi Race	46	4.8	38	2.9	39	1.5
	Other/Unk	2	0.2	2	0.2	4	0.2
	<i>Total</i>	<i>955</i>	<i>100.0</i>	<i>1,304</i>	<i>100.0</i>	<i>2,638</i>	<i>100.0</i>
Risk	MSM	331	34.7	421	32.3	960	36.4
	IDU	132	13.8	313	24.0	741	28.1
	MSM/IDU	20	2.1	44	3.4	110	4.2
	Heterosexual	213	22.3	222	17.0	331	12.5
	Blood Prod.	7	0.7	13	1.0	60	2.3
	Pediatric Risk	37	3.9	20	1.5	37	1.4
	Other/Unk	215	22.5	271	20.8	399	15.1
	<i>Total</i>	<i>955</i>	<i>100.0</i>	<i>1,304</i>	<i>100.0</i>	<i>2,638</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2006**

*****All cases reported and confirmed from 1983 - December 2006**

RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	47	73.4	64	65.3
	Female	17	26.6	34	34.7
	<i>Total</i>	<i>64</i>	<i>100.0</i>	<i>98</i>	<i>100.0</i>
Age Group	12 & under	3	4.7	0	0.0
	13-19	2	3.1	2	2.0
	20-24	5	7.8	4	4.1
	25-29	11	17.2	5	5.1
	30-49	33	51.6	62	63.3
	50+	10	15.6	25	25.5
	<i>Total</i>	<i>64</i>	<i>100.0</i>	<i>98</i>	<i>100.0</i>
Race/Ethnicity	White	27	42.2	39	39.8
	Black	13	20.3	35	35.7
	Hispanic	9	14.1	18	18.4
	Asian/PI	2	3.1	0	0.0
	Multi Race	13	20.3	6	6.1
	<i>Total</i>	<i>64</i>	<i>100.0</i>	<i>98</i>	<i>100.0</i>
Risk	MSM	24	37.5	25	25.5
	IDU	6	9.4	16	16.3
	MSM/IDU	1	1.6	5	5.1
	Heterosexual	15	23.4	20	20.4
	Blood Prod.	1	1.6	0	0.0
	Pediatric Risk	3	4.7	0	0.0
	Other/Unk	14	21.9	32	32.7
	<i>Total</i>	<i>64</i>	<i>100.0</i>	<i>98</i>	<i>100.0</i>

***Excludes Prisoners**

Cases reported and confirmed through December 2006

RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Table 11A

**HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
 Diagnosed through December 2005**

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	94	61.0	129	66.8	269	73.9
	Female	60	39.0	64	33.2	95	26.1
	<i>Total</i>	<i>154</i>	<i>100.0</i>	<i>193</i>	<i>100.0</i>	<i>364</i>	<i>100.0</i>
Age Group	12 & under	7	4.5	0	0.0	1	0.3
	13-19	3	1.9	2	1.0	4	1.1
	20-24	16	10.4	7	3.6	14	3.8
	25-29	26	16.9	17	8.8	43	11.8
	30-49	89	57.8	145	75.1	263	72.3
	50+	13	8.4	22	11.4	39	10.7
	<i>Total</i>	<i>154</i>	<i>100.0</i>	<i>193</i>	<i>100.0</i>	<i>364</i>	<i>100.0</i>
	Race/Ethnicity	White	84	54.5	109	56.5	238
Black		43	27.9	57	29.5	87	23.9
Hispanic		19	12.3	22	11.4	34	9.3
Native Am		1	0.6	1	0.5	1	0.3
Multi Race		7	4.5	4	2.1	4	1.1
<i>Total</i>		<i>154</i>	<i>100.0</i>	<i>193</i>	<i>100.0</i>	<i>364</i>	<i>100.0</i>
Risk	MSM	39	25.3	67	34.7	148	40.7
	IDU	33	21.4	41	21.2	83	22.8
	MSM/IDU	6	3.9	7	3.6	21	5.8
	Heterosexual	27	17.5	27	14.0	43	11.8
	Blood Prod.	0	0.0	1	0.5	3	0.8
	Pediatric Risk	7	4.5	1	0.5	4	1.1
	Other/Unk	42	27.3	49	25.4	62	17.0
	<i>Total</i>	<i>154</i>	<i>100.0</i>	<i>193</i>	<i>100.0</i>	<i>364</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2006**

*****All cases reported and confirmed from 1983 - December 2006**

RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Table 11B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	7	58.3	8	53.3
	Female	5	41.7	7	46.7
	<i>Total</i>	<i>12</i>	<i>100.0</i>	<i>15</i>	<i>100.0</i>
Age Group	13-19	1	8.3	0	0.0
	20-24	2	16.7	0	0.0
	25-29	1	8.3	4	26.7
	30-49	7	58.3	8	53.3
	50+	1	8.3	3	20.0
	<i>Total</i>	<i>12</i>	<i>100.0</i>	<i>15</i>	<i>100.0</i>
	<i>Total</i>	<i>12</i>	<i>100.0</i>	<i>15</i>	<i>100.0</i>
Race/Ethnicity	White	7	58.3	6	40.0
	Black	1	8.3	6	40.0
	Hispanic	1	8.3	1	6.7
	Multi Race	3	25.0	2	13.3
	<i>Total</i>	<i>12</i>	<i>100.0</i>	<i>15</i>	<i>100.0</i>
Risk	MSM	5	41.7	1	6.7
	IDU	1	8.3	2	13.3
	Heterosexual	3	25.0	4	26.7
	Other/Unk	3	25.0	8	53.3
	<i>Total</i>	<i>12</i>	<i>100.0</i>	<i>15</i>	<i>100.0</i>

****Excludes Prisoners***
Cases reported and confirmed through December 2006

RYAN WHITE REGION: BUFFALO

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Table 12A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	514	61.9	860	72.7	1,923	77.2
	Female	317	38.1	323	27.3	569	22.8
	<i>Total</i>	<i>831</i>	<i>100.0</i>	<i>1,183</i>	<i>100.0</i>	<i>2,492</i>	<i>100.0</i>
Age Group	12 & under	17	2.0	7	0.6	20	0.8
	13-19	50	6.0	17	1.4	24	1.0
	20-24	113	13.6	44	3.7	96	3.9
	25-29	128	15.4	114	9.6	288	11.6
	30-49	462	55.6	841	71.1	1,715	68.8
	50+	60	7.2	160	13.5	349	14.0
	Unk	1	0.1	0	0.0	0	0.0
	<i>Total</i>	<i>831</i>	<i>100.0</i>	<i>1,183</i>	<i>100.0</i>	<i>2,492</i>	<i>100.0</i>
Race/Ethnicity	White	298	35.9	463	39.1	1,072	43.0
	Black	353	42.5	526	44.5	1,088	43.7
	Hispanic	126	15.2	152	12.8	279	11.2
	Asian/PI	3	0.4	6	0.5	9	0.4
	Native Am	3	0.4	7	0.6	10	0.4
	Multi Race	47	5.7	28	2.4	28	1.1
	Other/Unk	1	0.1	1	0.1	6	0.2
	<i>Total</i>	<i>831</i>	<i>100.0</i>	<i>1,183</i>	<i>100.0</i>	<i>2,492</i>	<i>100.0</i>
	Risk	MSM	295	35.5	476	40.2	1,073
IDU		136	16.4	260	22.0	682	27.4
MSM/IDU		24	2.9	50	4.2	108	4.3
Heterosexual		244	29.4	281	23.8	430	17.3
Blood Prod.		4	0.5	12	1.0	37	1.5
Pediatric Risk		19	2.3	14	1.2	28	1.1
Other/Unk		109	13.1	90	7.6	134	5.4
<i>Total</i>		<i>831</i>	<i>100.0</i>	<i>1,183</i>	<i>100.0</i>	<i>2,492</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2006**

*****All cases reported and confirmed from 1983 - December 2006**

RYAN WHITE REGION: BUFFALO*(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)***Table 12B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	51	63.8	64	69.6
	Female	29	36.3	28	30.4
	<i>Total</i>	<i>80</i>	<i>100.0</i>	<i>92</i>	<i>100.0</i>
Age Group	13-19	7	8.8	1	1.1
	20-24	17	21.3	3	3.3
	25-29	7	8.8	4	4.3
	30-49	40	50.0	61	66.3
	50+	9	11.3	23	25.0
	<i>Total</i>	<i>80</i>	<i>100.0</i>	<i>92</i>	<i>100.0</i>
	<i>Total</i>	<i>80</i>	<i>100.0</i>	<i>92</i>	<i>100.0</i>
Race/Ethnicity	White	23	28.8	36	39.1
	Black	26	32.5	41	44.6
	Hispanic	13	16.3	11	12.0
	Native Am	2	2.5	0	0.0
	Multi Race	16	20.0	4	4.3
	<i>Total</i>	<i>80</i>	<i>100.0</i>	<i>92</i>	<i>100.0</i>
	<i>Total</i>	<i>80</i>	<i>100.0</i>	<i>92</i>	<i>100.0</i>
Risk	MSM	28	35.0	27	29.3
	IDU	8	10.0	20	21.7
	MSM/IDU	2	2.5	2	2.2
	Heterosexual	13	16.3	22	23.9
	Blood Prod.	0	0.0	1	1.1
	Pediatric Risk	0	0.0	1	1.1
	Other/Unk	29	36.3	19	20.7
	<i>Total</i>	<i>80</i>	<i>100.0</i>	<i>92</i>	<i>100.0</i>
	<i>Total</i>	<i>80</i>	<i>100.0</i>	<i>92</i>	<i>100.0</i>

****Excludes Prisoners******Cases reported and confirmed through December 2006***

RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Table 13A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	617	58.2	1,717	65.7	4,143	71.6
	Female	443	41.8	896	34.3	1,647	28.4
	Unk	1	0.1	0	0.0	0	0.0
	<i>Total</i>	<i>1,061</i>	<i>100.0</i>	<i>2,613</i>	<i>100.0</i>	<i>5,790</i>	<i>100.0</i>
Age Group	12 & under	39	3.7	29	1.1	84	1.5
	13-19	38	3.6	38	1.5	49	0.8
	20-24	79	7.4	63	2.4	131	2.3
	25-29	99	9.3	210	8.0	501	8.7
	30-49	618	58.2	1,918	73.4	4,174	72.1
	50+	162	15.3	355	13.6	851	14.7
	Unk	26	2.5	0	0.0	0	0.0
	<i>Total</i>	<i>1,061</i>	<i>100.0</i>	<i>2,613</i>	<i>100.0</i>	<i>5,790</i>	<i>100.0</i>
Race/Ethnicity	White	278	26.2	643	24.6	1,861	32.1
	Black	516	48.6	1,323	50.6	2,810	48.5
	Hispanic	224	21.1	574	22.0	1,030	17.8
	Asian/PI	4	0.4	4	0.2	15	0.3
	Native Am	0	0.0	3	0.1	5	0.1
	Multi Race	37	3.5	61	2.3	63	1.1
	Other/Unk	2	0.2	5	0.2	6	0.1
	<i>Total</i>	<i>1,061</i>	<i>100.0</i>	<i>2,613</i>	<i>100.0</i>	<i>5,790</i>	<i>100.0</i>
Risk	MSM	233	22.0	518	19.8	1,384	23.9
	IDU	187	17.6	912	34.9	2,428	41.9
	MSM/IDU	13	1.2	91	3.5	209	3.6
	Heterosexual	343	32.3	705	27.0	1,076	18.6
	Blood Prod.	5	0.5	20	0.8	73	1.3
	Pediatric Risk	44	4.1	38	1.5	99	1.7
	Other/Unk	236	22.2	329	12.6	521	9.0
	<i>Total</i>	<i>1,061</i>	<i>100.0</i>	<i>2,613</i>	<i>100.0</i>	<i>5,790</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2006**

*****All cases reported and confirmed from 1983 - December 2006**

RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Table 13B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	51	62.2	112	69.1
	Female	31	37.8	50	30.9
	<i>Total</i>	82	100.0	162	100.0
Age Group	13-19	10	12.2	5	3.1
	20-24	9	11.0	7	4.3
	25-29	7	8.5	11	6.8
	30-49	48	58.5	102	63.0
	50+	8	9.8	37	22.8
	<i>Total</i>	82	100.0	162	100.0
	<i>Total</i>	82	100.0	162	100.0
Race/Ethnicity	White	13	15.9	40	24.7
	Black	36	43.9	73	45.1
	Hispanic	26	31.7	38	23.5
	Asian/PI	0	0.0	1	0.6
	Multi Race	7	8.5	10	6.2
	<i>Total</i>	82	100.0	162	100.0
	<i>Total</i>	82	100.0	162	100.0
Risk	MSM	19	23.2	31	19.1
	IDU	6	7.3	34	21.0
	MSM/IDU	2	2.4	3	1.9
	Heterosexual	18	22.0	51	31.5
	Blood Prod.	0	0.0	2	1.2
	Pediatric Risk	0	0.0	2	1.2
	Other/Unk	37	45.1	39	24.1
	<i>Total</i>	82	100.0	162	100.0
	<i>Total</i>	82	100.0	162	100.0
	<i>Total</i>	82	100.0	162	100.0

***Excludes Prisoners**
Cases reported and confirmed through December 2006

RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	435	59.2	943	68.3	2,412	75.4
	Female	300	40.8	437	31.7	788	24.6
	<i>Total</i>	<i>735</i>	<i>100.0</i>	<i>1,380</i>	<i>100.0</i>	<i>3,200</i>	<i>100.0</i>
Age Group	12 & under	26	3.5	14	1.0	38	1.2
	13-19	19	2.6	18	1.3	24	0.8
	20-24	48	6.5	35	2.5	67	2.1
	25-29	63	8.6	110	8.0	276	8.6
	30-49	463	63.0	1,016	73.6	2,376	74.3
	50+	95	12.9	187	13.6	419	13.1
	Unk	21	2.9	0	0.0	0	0.0
	<i>Total</i>	<i>735</i>	<i>100.0</i>	<i>1,380</i>	<i>100.0</i>	<i>3,200</i>	<i>100.0</i>
Race/Ethnicity	White	296	40.3	489	35.4	1,238	38.7
	Black	260	35.4	525	38.0	1,170	36.6
	Hispanic	125	17.0	303	22.0	721	22.5
	Asian/PI	3	0.4	0	0.0	4	0.1
	Native Am	2	0.3	3	0.2	5	0.2
	Multi Race	49	6.7	58	4.2	59	1.8
	Other/Unk	0	0.0	2	0.1	3	0.1
	<i>Total</i>	<i>735</i>	<i>100.0</i>	<i>1,380</i>	<i>100.0</i>	<i>3,200</i>	<i>100.0</i>
Risk	MSM	154	21.0	261	18.9	679	21.2
	IDU	196	26.7	512	37.1	1,490	46.6
	MSM/IDU	18	2.4	54	3.9	119	3.7
	Heterosexual	212	28.8	333	24.1	500	15.6
	Blood Prod.	4	0.5	12	0.9	48	1.5
	Pediatric Risk	28	3.8	20	1.4	44	1.4
	Other/Unk	123	16.7	188	13.6	320	10.0
	<i>Total</i>	<i>735</i>	<i>100.0</i>	<i>1,380</i>	<i>100.0</i>	<i>3,200</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2006**

*****All cases reported and confirmed from 1983 - December 2006**

RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	48	66.7	60	65.2
	Female	24	33.3	32	34.8
	<i>Total</i>	72	100.0	92	100.0
Age Group	12 & under	1	1.4	0	0.0
	13-19	1	1.4	3	3.3
	20-24	8	11.1	3	3.3
	25-29	7	9.7	3	3.3
	30-49	42	58.3	61	66.3
	50+	13	18.1	22	23.9
	<i>Total</i>	72	100.0	92	100.0
	Race/Ethnicity	White	23	31.9	28
Black		21	29.2	30	32.6
Hispanic		17	23.6	24	26.1
Native Am		0	0.0	1	1.1
Multi Race		11	15.3	9	9.8
<i>Total</i>		72	100.0	92	100.0
Risk	MSM	19	26.4	15	16.3
	IDU	11	15.3	23	25.0
	MSM/IDU	1	1.4	2	2.2
	Heterosexual	14	19.4	23	25.0
	Pediatric Risk	1	1.4	1	1.1
	Other/Unk	26	36.1	28	30.4
	<i>Total</i>	72	100.0	92	100.0

***Excludes Prisoners**
Cases reported and confirmed through December 2006

RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Table 15A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	1,003	58.9	2,286	68.5	5,814	73.8
	Female	700	41.1	1,049	31.5	2,061	26.2
	<i>Total</i>	<i>1,703</i>	<i>100.0</i>	<i>3,335</i>	<i>100.0</i>	<i>7,875</i>	<i>100.0</i>
Age Group	12 & under	106	6.2	38	1.1	113	1.4
	13-19	54	3.2	51	1.5	69	0.9
	20-24	118	6.9	100	3.0	194	2.5
	25-29	192	11.3	290	8.7	753	9.6
	30-49	1,018	59.8	2,413	72.4	5,698	72.4
	50+	195	11.5	443	13.3	1,048	13.3
	Unk	20	1.2	0	0.0	0	0.0
	<i>Total</i>	<i>1,703</i>	<i>100.0</i>	<i>3,335</i>	<i>100.0</i>	<i>7,875</i>	<i>100.0</i>
Race/Ethnicity	White	692	40.6	1,315	39.4	3,746	47.6
	Black	663	38.9	1,355	40.6	3,003	38.1
	Hispanic	289	17.0	569	17.1	1,002	12.7
	Asian/PI	14	0.8	19	0.6	33	0.4
	Native Am	4	0.2	4	0.1	10	0.1
	Multi Race	31	1.8	70	2.1	72	0.9
	Other/Unk	10	0.6	3	0.1	9	0.1
	<i>Total</i>	<i>1,703</i>	<i>100.0</i>	<i>3,335</i>	<i>100.0</i>	<i>7,875</i>	<i>100.0</i>
Risk	MSM	457	26.8	891	26.7	2,276	28.9
	IDU	215	12.6	823	24.7	2,712	34.4
	MSM/IDU	34	2.0	129	3.9	346	4.4
	Heterosexual	337	19.8	538	16.1	939	11.9
	Blood Prod.	16	0.9	41	1.2	149	1.9
	Pediatric Risk	115	6.8	66	2.0	147	1.9
	Other/Unk	529	31.1	847	25.4	1,306	16.6
	<i>Total</i>	<i>1,703</i>	<i>100.0</i>	<i>3,335</i>	<i>100.0</i>	<i>7,875</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2006**

*****All cases reported and confirmed from 1983 - December 2006**

RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Table 15B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	96	64.4	142	67.9
	Female	53	35.6	67	32.1
	<i>Total</i>	<i>149</i>	<i>100.0</i>	<i>209</i>	<i>100.0</i>
Age Group	12 & under	1	0.7	1	0.5
	13-19	5	3.4	6	2.9
	20-24	21	14.1	10	4.8
	25-29	19	12.8	15	7.2
	30-49	80	53.7	127	60.8
	50+	23	15.4	50	23.9
	<i>Total</i>	<i>149</i>	<i>100.0</i>	<i>209</i>	<i>100.0</i>
	Race/Ethnicity	White	62	41.6	74
Black		58	38.9	87	41.6
Hispanic		25	16.8	45	21.5
Native Am		1	0.7	0	0.0
Multi Race		2	1.3	3	1.4
Other/Unk		1	0.7	0	0.0
<i>Total</i>		<i>149</i>	<i>100.0</i>	<i>209</i>	<i>100.0</i>
Risk		MSM	50	33.6	56
	IDU	8	5.4	17	8.1
	MSM/IDU	5	3.4	2	1.0
	Heterosexual	21	14.1	40	19.1
	Blood Prod.	1	0.7	2	1.0
	Pediatric Risk	2	1.3	4	1.9
	Other/Unk	62	41.6	88	42.1
	<i>Total</i>	<i>149</i>	<i>100.0</i>	<i>209</i>	<i>100.0</i>

****Excludes Prisoners***
Cases reported and confirmed through December 2006

RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylers, Seneca, Steuben, Wayne, Yates)

Table 16A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	630	68.0	921	69.3	2,012	74.8
	Female	296	32.0	408	30.7	677	25.2
	<i>Total</i>	926	100.0	1,329	100.0	2,689	100.0
Age Group	12 & under	15	1.6	7	0.5	19	0.7
	13-19	29	3.1	9	0.7	16	0.6
	20-24	79	8.5	29	2.2	70	2.6
	25-29	144	15.6	162	12.2	321	11.9
	30-49	539	58.2	969	72.9	1,954	72.7
	50+	120	13.0	153	11.5	309	11.5
	<i>Total</i>	926	100.0	1,329	100.0	2,689	100.0
	Race/Ethnicity	White	384	41.5	562	42.3	1,313
Black		372	40.2	561	42.2	1,031	38.3
Hispanic		129	13.9	178	13.4	311	11.6
Asian/PI		4	0.4	3	0.2	5	0.2
Native Am		3	0.3	1	0.1	3	0.1
Multi Race		33	3.6	23	1.7	24	0.9
Other/Unk		1	0.1	1	0.1	2	0.1
<i>Total</i>		926	100.0	1,329	100.0	2,689	100.0
Risk	MSM	324	35.0	418	31.5	981	36.5
	IDU	134	14.5	334	25.1	798	29.7
	MSM/IDU	20	2.2	41	3.1	108	4.0
	Heterosexual	136	14.7	171	12.9	260	9.7
	Blood Prod.	1	0.1	14	1.1	39	1.5
	Pediatric Risk	17	1.8	14	1.1	27	1.0
	Other/Unk	294	31.7	337	25.4	476	17.7
	<i>Total</i>	926	100.0	1,329	100.0	2,689	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2006**

*****All cases reported and confirmed from 1983 - December 2006**

RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylers, Seneca, Steuben, Wayne, Yates)

Table 16B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	47	70.1	79	69.9
	Female	20	29.9	34	30.1
	<i>Total</i>	<i>67</i>	<i>100.0</i>	<i>113</i>	<i>100.0</i>
Age Group	13-19	3	4.5	1	0.9
	20-24	13	19.4	5	4.4
	25-29	9	13.4	3	2.7
	30-49	30	44.8	73	64.6
	50+	12	17.9	31	27.4
	<i>Total</i>	<i>67</i>	<i>100.0</i>	<i>113</i>	<i>100.0</i>
	<i>Total</i>	<i>67</i>	<i>100.0</i>	<i>113</i>	<i>100.0</i>
Race/Ethnicity	White	18	26.9	58	51.3
	Black	20	29.9	41	36.3
	Hispanic	11	16.4	10	8.8
	Asian/PI	3	4.5	0	0.0
	Multi Race	15	22.4	4	3.5
	<i>Total</i>	<i>67</i>	<i>100.0</i>	<i>113</i>	<i>100.0</i>
	<i>Total</i>	<i>67</i>	<i>100.0</i>	<i>113</i>	<i>100.0</i>
Risk	MSM	25	37.3	43	38.1
	IDU	1	1.5	19	16.8
	MSM/IDU	1	1.5	1	0.9
	Heterosexual	6	9.0	13	11.5
	Blood Prod.	0	0.0	1	0.9
	Pediatric Risk	0	0.0	1	0.9
	Other/Unk	34	50.7	35	31.0
	<i>Total</i>	<i>67</i>	<i>100.0</i>	<i>113</i>	<i>100.0</i>
	<i>Total</i>	<i>67</i>	<i>100.0</i>	<i>113</i>	<i>100.0</i>

***Excludes Prisoners**
Cases reported and confirmed through December 2006

RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	374	61.6	711	71.3	1,573	77.3
	Female	233	38.4	285	28.6	461	22.7
	Unk	0	0.0	1	0.1	1	0.0
	<i>Total</i>	<i>607</i>	<i>100.0</i>	<i>997</i>	<i>100.0</i>	<i>2,035</i>	<i>100.0</i>
Age Group	12 & under	18	3.0	4	0.4	12	0.6
	13-19	30	4.9	12	1.2	24	1.2
	20-24	52	8.6	53	5.3	87	4.3
	25-29	84	13.8	113	11.3	257	12.6
	30-49	375	61.8	710	71.2	1,446	71.1
	50+	47	7.7	105	10.5	209	10.3
	Unk	1	0.2	0	0.0	0	0.0
	<i>Total</i>	<i>607</i>	<i>100.0</i>	<i>997</i>	<i>100.0</i>	<i>2,035</i>	<i>100.0</i>
Race/Ethnicity	White	318	52.4	520	52.2	1,187	58.3
	Black	195	32.1	358	35.9	641	31.5
	Hispanic	59	9.7	88	8.8	174	8.6
	Asian/PI	6	1.0	6	0.6	6	0.3
	Native Am	1	0.2	6	0.6	7	0.3
	Multi Race	26	4.3	19	1.9	20	1.0
	Other/Unk	2	0.3	0	0.0	0	0.0
	<i>Total</i>	<i>607</i>	<i>100.0</i>	<i>997</i>	<i>100.0</i>	<i>2,035</i>	<i>100.0</i>
Risk	MSM	200	32.9	365	36.6	830	40.8
	IDU	90	14.8	188	18.9	464	22.8
	MSM/IDU	13	2.1	42	4.2	109	5.4
	Heterosexual	166	27.3	215	21.6	318	15.6
	Blood Prod.	4	0.7	22	2.2	58	2.9
	Pediatric Risk	18	3.0	10	1.0	22	1.1
	Other/Unk	116	19.1	155	15.5	234	11.5
	<i>Total</i>	<i>607</i>	<i>100.0</i>	<i>997</i>	<i>100.0</i>	<i>2,035</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2006**

*****All cases reported and confirmed from 1983 - December 2006**

RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	22	57.9	55	67.1
	Female	16	42.1	27	32.9
	<i>Total</i>	38	100.0	82	100.0
Age Group	13-19	3	7.9	1	1.2
	20-24	3	7.9	2	2.4
	25-29	3	7.9	6	7.3
	30-49	26	68.4	52	63.4
	50+	3	7.9	21	25.6
	<i>Total</i>	38	100.0	82	100.0
	<i>Total</i>	38	100.0	82	100.0
Race/Ethnicity	White	16	42.1	40	48.8
	Black	12	31.6	31	37.8
	Hispanic	0	0.0	7	8.5
	Asian/PI	1	2.6	1	1.2
	Native Am	0	0.0	1	1.2
	Multi Race	9	23.7	2	2.4
	<i>Total</i>	38	100.0	82	100.0
	<i>Total</i>	38	100.0	82	100.0
Risk	MSM	11	28.9	29	35.4
	IDU	0	0.0	13	15.9
	MSM/IDU	0	0.0	3	3.7
	Heterosexual	11	28.9	17	20.7
	Blood Prod.	1	2.6	1	1.2
	Other/Unk	15	39.5	19	23.2
	<i>Total</i>	38	100.0	82	100.0
	<i>Total</i>	38	100.0	82	100.0

***Excludes Prisoners**
Cases reported and confirmed through December 2006

NEW YORK CITY: by Borough

Table 18A

HIV/AIDS Cases Diagnosed through December 2005

Borough	Living HIV*	AIDS**	
		Living	Cumulative
Bronx	7,609	12,240	29,709
Brooklyn	8,529	14,360	37,183
Manhattan	11,188	17,391	48,878
Queens	4,210	8,393	19,627
Staten Island	639	1,029	2,854
<i>Total</i>	<i>32,175</i>	<i>53,413</i>	<i>138,251</i>

****All cases reported and confirmed from June 2000 - December 2006***

*****All cases reported and confirmed from 1983 - December 2006***

NEW YORK CITY: by Borough

Table 18B

***Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2005 - December 2005***

Borough	Initial HIV	Initial AIDS
Bronx	524	954
Brooklyn	685	1,019
Manhattan	751	1,107
Queens	390	532
Staten Island	44	65
<i>Total</i>	<i>2,394</i>	<i>3,677</i>

BOROUGH: BRONX**Table 19A****HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005**

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	4,052	53.3	7,555	61.7	19,519	65.7
	Female	3,556	46.7	4,685	38.3	10,190	34.3
	Unk	1	0.0	0	0.0	0	0.0
	<i>Total</i>	<i>7,609</i>	<i>100.0</i>	<i>12,240</i>	<i>100.0</i>	<i>29,709</i>	<i>100.0</i>
Age Group	12 & under	524	6.9	217	1.8	597	2.0
	13-19	251	3.3	172	1.4	219	0.7
	20-24	616	8.1	422	3.4	814	2.7
	25-29	904	11.9	1,081	8.8	2,736	9.2
	30-49	4,400	57.8	8,678	70.9	21,138	71.2
	50+	907	11.9	1,670	13.6	4,205	14.2
	Unk	7	0.1	0	0.0	0	0.0
	<i>Total</i>	<i>7,609</i>	<i>100.0</i>	<i>12,240</i>	<i>100.0</i>	<i>29,709</i>	<i>100.0</i>
Race/Ethnicity	White	367	4.8	647	5.3	1,928	6.5
	Black	3,677	48.3	5,367	43.8	12,686	42.7
	Hispanic	3,434	45.1	6,136	50.1	14,951	50.3
	Asian/PI	29	0.4	46	0.4	91	0.3
	Native Am	8	0.1	7	0.1	11	0.0
	Multi Race	7	0.1	4	0.0	6	0.0
	Other/Unk	87	1.1	33	0.3	36	0.1
	<i>Total</i>	<i>7,609</i>	<i>100.0</i>	<i>12,240</i>	<i>100.0</i>	<i>29,709</i>	<i>100.0</i>
Risk	MSM	1,068	14.0	1,670	13.6	4,418	14.9
	IDU	1,082	14.2	3,923	32.1	13,642	45.9
	MSM/IDU	101	1.3	295	2.4	885	3.0
	Heterosexual	1,319	17.3	2,287	18.7	4,358	14.7
	Blood Prod.	18	0.2	56	0.5	153	0.5
	Pediatric Risk	538	7.1	298	2.4	686	2.3
	Other/Unk	3,483	45.8	3,711	30.3	5,567	18.7
	<i>Total</i>	<i>7,609</i>	<i>100.0</i>	<i>12,240</i>	<i>100.0</i>	<i>29,709</i>	<i>100.0</i>

***All cases reported and confirmed from June 2000 - December 2006**

****All cases reported and confirmed from 1983 - December 2006**

BOROUGH: BRONX**Table 19B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	331	63.2	574	60.2
	Female	193	36.8	380	39.8
	<i>Total</i>	<i>524</i>	<i>100.0</i>	<i>954</i>	<i>100.0</i>
Age Group	12 & under	6	1.1	2	0.2
	13-19	29	5.5	25	2.6
	20-24	63	12.0	41	4.3
	25-29	90	17.2	67	7.0
	30-49	261	49.8	614	64.4
	50+	75	14.3	205	21.5
	<i>Total</i>	<i>524</i>	<i>100.0</i>	<i>954</i>	<i>100.0</i>
Race/Ethnicity	White	17	3.2	32	3.4
	Black	277	52.9	476	49.9
	Hispanic	219	41.8	441	46.2
	Asian/PI	6	1.1	4	0.4
	Native Am	0	0.0	1	0.1
	Multi Race	3	0.6	0	0.0
	Other/Unk	2	0.4	0	0.0
	<i>Total</i>	<i>524</i>	<i>100.0</i>	<i>954</i>	<i>100.0</i>
	Risk	MSM	132	25.2	155
IDU		45	8.6	128	13.4
MSM/IDU		1	0.2	20	2.1
Heterosexual		92	17.6	169	17.7
Blood Prod.		0	0.0	3	0.3
Pediatric Risk		6	1.1	12	1.3
Other/Unk		248	47.3	467	49.0
<i>Total</i>		<i>524</i>	<i>100.0</i>	<i>954</i>	<i>100.0</i>

BOROUGH: BROOKLYN

Table 20A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005**

		Living HIV*		AIDS**			
				Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	4,784	56.1	9,152	63.7	25,284	68.0
	Female	3,563	41.8	5,208	36.3	11,899	32.0
	Unk	182	2.1	0	0.0	0	0.0
	<i>Total</i>	8,529	100.0	14,360	100.0	37,183	100.0
Age Group	12 & under	435	5.1	256	1.8	720	1.9
	13-19	277	3.2	167	1.2	250	0.7
	20-24	757	8.9	512	3.6	1,065	2.9
	25-29	1,057	12.4	1,346	9.4	3,634	9.8
	30-49	4,971	58.3	10,045	70.0	26,195	70.4
	50+	1,031	12.1	2,034	14.2	5,319	14.3
	Unk	1	0.0	0	0.0	0	0.0
	<i>Total</i>	8,529	100.0	14,360	100.0	37,183	100.0
Race/Ethnicity	White	1,101	12.9	1,592	11.1	4,991	13.4
	Black	5,258	61.6	8,959	62.4	22,397	60.2
	Hispanic	1,784	20.9	3,624	25.2	9,514	25.6
	Asian/PI	89	1.0	120	0.8	202	0.5
	Native Am	8	0.1	8	0.1	11	0.0
	Multi Race	8	0.1	10	0.1	13	0.0
	Other/Unk	281	3.3	47	0.3	55	0.1
	<i>Total</i>	8,529	100.0	14,360	100.0	37,183	100.0
Risk	MSM	1,861	21.8	2,668	18.6	7,080	19.0
	IDU	946	11.1	3,722	25.9	14,882	40.0
	MSM/IDU	89	1.0	270	1.9	834	2.2
	Heterosexual	1,589	18.6	2,602	18.1	4,918	13.2
	Blood Prod.	20	0.2	79	0.6	270	0.7
	Pediatric Risk	441	5.2	311	2.2	783	2.1
	Other/Unk	3,583	42.0	4,708	32.8	8,416	22.6
	<i>Total</i>	8,529	100.0	14,360	100.0	37,183	100.0

**All cases reported and confirmed from June 2000 - December 2006*

***All cases reported and confirmed from 1983 - December 2006*

BOROUGH: BROOKLYN**Table 20B****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	451	65.8	639	62.7
	Female	234	34.2	380	37.3
	<i>Total</i>	685	100.0	1,019	100.0
Age Group	12 & under	1	0.1	2	0.2
	13-19	39	5.7	14	1.4
	20-24	93	13.6	44	4.3
	25-29	89	13.0	69	6.8
	30-49	371	54.2	625	61.3
	50+	92	13.4	265	26.0
	<i>Total</i>	685	100.0	1,019	100.0
Race/Ethnicity	White	76	11.1	100	9.8
	Black	496	72.4	690	67.7
	Hispanic	102	14.9	214	21.0
	Asian/PI	9	1.3	12	1.2
	Native Am	0	0.0	1	0.1
	Multi Race	2	0.3	2	0.2
	<i>Total</i>	685	100.0	1,019	100.0
Risk	MSM	228	33.3	238	23.4
	IDU	38	5.5	122	12.0
	MSM/IDU	5	0.7	22	2.2
	Heterosexual	121	17.7	177	17.4
	Blood Prod.	1	0.1	3	0.3
	Pediatric Risk	1	0.1	6	0.6
	<i>Total</i>	291	42.5	451	44.3
	<i>Total</i>	685	100.0	1,019	100.0

BOROUGH: MANHATTAN

Table 21A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005**

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	8,841	79.0	13,819	79.5	40,348	82.5
	Female	2,314	20.7	3,572	20.5	8,530	17.5
	Unk	33	0.3	0	0.0	0	0.0
	<i>Total</i>	<i>11,188</i>	<i>100.0</i>	<i>17,391</i>	<i>100.0</i>	<i>48,878</i>	<i>100.0</i>
Age Group	12 & under	320	2.9	146	0.8	411	0.8
	13-19	189	1.7	105	0.6	143	0.3
	20-24	700	6.3	411	2.4	890	1.8
	25-29	1,377	12.3	1,525	8.8	4,226	8.6
	30-49	7,252	64.8	12,649	72.7	35,346	72.3
	50+	1,347	12.0	2,555	14.7	7,862	16.1
	Unk	3	0.0	0	0.0	0	0.0
	<i>Total</i>	<i>11,188</i>	<i>100.0</i>	<i>17,391</i>	<i>100.0</i>	<i>48,878</i>	<i>100.0</i>
Race/Ethnicity	White	4,325	38.7	5,744	33.0	17,991	36.8
	Black	3,577	32.0	6,430	37.0	17,446	35.7
	Hispanic	2,725	24.4	4,857	27.9	12,812	26.2
	Asian/PI	180	1.6	226	1.3	459	0.9
	Native Am	14	0.1	11	0.1	23	0.0
	Multi Race	5	0.0	10	0.1	14	0.0
	Other/Unk	362	3.2	113	0.6	133	0.3
	<i>Total</i>	<i>11,188</i>	<i>100.0</i>	<i>17,391</i>	<i>100.0</i>	<i>48,878</i>	<i>100.0</i>
	Risk	MSM	5,371	48.0	7,299	42.0	22,459
IDU		827	7.4	3,879	22.3	15,036	30.8
MSM/IDU		168	1.5	422	2.4	1,564	3.2
Heterosexual		1,090	9.7	1,744	10.0	3,318	6.8
Blood Prod.		18	0.2	49	0.3	202	0.4
Pediatric Risk		328	2.9	189	1.1	455	0.9
Other/Unk		3,386	30.3	3,809	21.9	5,844	12.0
<i>Total</i>		<i>11,188</i>	<i>100.0</i>	<i>17,391</i>	<i>100.0</i>	<i>48,878</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - December 2006*

***All cases reported and confirmed from 1983 - December 2006*

BOROUGH: MANHATTAN**Table 21B****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	611	81.4	828	74.8
	Female	140	18.6	279	25.2
	<i>Total</i>	<i>751</i>	<i>100.0</i>	<i>1,107</i>	<i>100.0</i>
Age Group	12 & under	2	0.3	4	0.4
	13-19	16	2.1	12	1.1
	20-24	62	8.3	44	4.0
	25-29	125	16.6	70	6.3
	30-49	442	58.9	712	64.3
	50+	104	13.8	265	23.9
	<i>Total</i>	<i>751</i>	<i>100.0</i>	<i>1,107</i>	<i>100.0</i>
Race/Ethnicity	White	258	34.4	301	27.2
	Black	295	39.3	482	43.5
	Hispanic	175	23.3	298	26.9
	Asian/PI	20	2.7	22	2.0
	Native Am	1	0.1	2	0.2
	Multi Race	1	0.1	1	0.1
	Other/Unk	1	0.1	1	0.1
	<i>Total</i>	<i>751</i>	<i>100.0</i>	<i>1,107</i>	<i>100.0</i>
Risk	MSM	428	57.0	431	38.9
	IDU	36	4.8	141	12.7
	MSM/IDU	10	1.3	13	1.2
	Heterosexual	85	11.3	139	12.6
	Blood Prod.	0	0.0	1	0.1
	Pediatric Risk	2	0.3	12	1.1
	Other/Unk	190	25.3	370	33.4
	<i>Total</i>	<i>751</i>	<i>100.0</i>	<i>1,107</i>	<i>100.0</i>

BOROUGH: QUEENS

Table 22A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005**

		Living HIV*		AIDS**			
				Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	2,757	65.5	5,912	70.4	14,645	74.6
	Female	1,452	34.5	2,481	29.6	4,982	25.4
	Unk	1	0.0	0	0.0	0	0.0
	<i>Total</i>	<i>4,210</i>	<i>100.0</i>	<i>8,393</i>	<i>100.0</i>	<i>19,627</i>	<i>100.0</i>
Age Group	12 & under	169	4.0	101	1.2	282	1.4
	13-19	100	2.4	87	1.0	114	0.6
	20-24	339	8.1	301	3.6	552	2.8
	25-29	574	13.6	886	10.6	1,916	9.8
	30-49	2,606	61.9	6,016	71.7	14,277	72.7
	50+	418	9.9	1,002	11.9	2,486	12.7
	Unk	4	0.1	0	0.0	0	0.0
	<i>Total</i>	<i>4,210</i>	<i>100.0</i>	<i>8,393</i>	<i>100.0</i>	<i>19,627</i>	<i>100.0</i>
Race/Ethnicity	White	840	20.0	1,541	18.4	4,705	24.0
	Black	1,790	42.5	3,618	43.1	8,548	43.6
	Hispanic	1,360	32.3	2,941	35.0	5,912	30.1
	Asian/PI	133	3.2	231	2.8	383	2.0
	Native Am	7	0.2	14	0.2	19	0.1
	Multi Race	9	0.2	17	0.2	20	0.1
	Other/Unk	71	1.7	31	0.4	40	0.2
	<i>Total</i>	<i>4,210</i>	<i>100.0</i>	<i>8,393</i>	<i>100.0</i>	<i>19,627</i>	<i>100.0</i>
	Risk	MSM	1,367	32.5	2,278	27.1	5,473
IDU		364	8.6	2,017	24.0	6,975	35.5
MSM/IDU		30	0.7	159	1.9	499	2.5
Heterosexual		883	21.0	1,471	17.5	2,437	12.4
Blood Prod.		13	0.3	49	0.6	171	0.9
Pediatric Risk		170	4.0	140	1.7	324	1.7
Other/Unk		1,383	32.9	2,279	27.2	3,748	19.1
<i>Total</i>		<i>4,210</i>	<i>100.0</i>	<i>8,393</i>	<i>100.0</i>	<i>19,627</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - December 2006*

***All cases reported and confirmed from 1983 - December 2006*

BOROUGH: QUEENS**Table 22B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	296	75.9	377	70.9
	Female	94	24.1	155	29.1
	<i>Total</i>	<i>390</i>	<i>100.0</i>	<i>532</i>	<i>100.0</i>
Age Group	12 & under	3	0.8	2	0.4
	13-19	14	3.6	12	2.3
	20-24	40	10.3	25	4.7
	25-29	58	14.9	40	7.5
	30-49	221	56.7	351	66.0
	50+	54	13.8	102	19.2
	<i>Total</i>	<i>390</i>	<i>100.0</i>	<i>532</i>	<i>100.0</i>
	Race/Ethnicity	White	57	14.6	83
	Black	170	43.6	243	45.7
	Hispanic	132	33.8	185	34.8
	Asian/PI	26	6.7	16	3.0
	Native Am	3	0.8	3	0.6
	Multi Race	1	0.3	1	0.2
	Other/Unk	1	0.3	1	0.2
	<i>Total</i>	<i>390</i>	<i>100.0</i>	<i>532</i>	<i>100.0</i>
Risk	MSM	162	41.5	174	32.7
	IDU	27	6.9	69	13.0
	MSM/IDU	1	0.3	12	2.3
	Heterosexual	61	15.6	82	15.4
	Blood Prod.	0	0.0	1	0.2
	Pediatric Risk	2	0.5	8	1.5
	Other/Unk	137	35.1	186	35.0
	<i>Total</i>	<i>390</i>	<i>100.0</i>	<i>532</i>	<i>100.0</i>

BOROUGH: STATEN ISLAND

Table 23A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2005**

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	373	58.4	661	64.2	2,032	71.2
	Female	266	41.6	368	35.8	822	28.8
	<i>Total</i>	<i>639</i>	<i>100.0</i>	<i>1,029</i>	<i>100.0</i>	<i>2,854</i>	<i>100.0</i>
Age Group	12 & under	31	4.9	13	1.3	42	1.5
	13-19	17	2.7	12	1.2	16	0.6
	20-24	46	7.2	34	3.3	73	2.6
	25-29	54	8.5	74	7.2	217	7.6
	30-49	423	66.2	779	75.7	2,158	75.6
	50+	68	10.6	117	11.4	348	12.2
	<i>Total</i>	<i>639</i>	<i>100.0</i>	<i>1,029</i>	<i>100.0</i>	<i>2,854</i>	<i>100.0</i>
	Race/Ethnicity	White	204	31.9	380	36.9	1,282
Black		267	41.8	392	38.1	966	33.8
Hispanic		143	22.4	243	23.6	576	20.2
Asian/PI		10	1.6	3	0.3	12	0.4
Native Am		2	0.3	3	0.3	4	0.1
Multi Race		1	0.2	4	0.4	7	0.2
Other/Unk		12	1.9	4	0.4	7	0.2
<i>Total</i>		<i>639</i>	<i>100.0</i>	<i>1,029</i>	<i>100.0</i>	<i>2,854</i>	<i>100.0</i>
Risk	MSM	124	19.4	148	14.4	526	18.4
	IDU	79	12.4	323	31.4	1,332	46.7
	MSM/IDU	6	0.9	20	1.9	67	2.3
	Heterosexual	98	15.3	194	18.9	353	12.4
	Blood Prod.	2	0.3	11	1.1	46	1.6
	Pediatric Risk	31	4.9	20	1.9	50	1.8
	Other/Unk	299	46.8	313	30.4	480	16.8
	<i>Total</i>	<i>639</i>	<i>100.0</i>	<i>1,029</i>	<i>100.0</i>	<i>2,854</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - December 2006*

***All cases reported and confirmed from 1983 - December 2006*

BOROUGH: STATEN ISLAND

Table 23B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2005 - December 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	28	63.6	42	64.6
	Female	16	36.4	23	35.4
	<i>Total</i>	<i>44</i>	<i>100.0</i>	<i>65</i>	<i>100.0</i>
Age Group	13-19	3	6.8	2	3.1
	20-24	7	15.9	6	9.2
	25-29	5	11.4	0	0.0
	30-49	26	59.1	42	64.6
	50+	3	6.8	15	23.1
	<i>Total</i>	<i>44</i>	<i>100.0</i>	<i>65</i>	<i>100.0</i>
Race/Ethnicity	White	15	34.1	23	35.4
	Black	23	52.3	25	38.5
	Hispanic	4	9.1	15	23.1
	Asian/PI	2	4.5	1	1.5
	Multi Race	0	0.0	1	1.5
	<i>Total</i>	<i>44</i>	<i>100.0</i>	<i>65</i>	<i>100.0</i>
Risk	MSM	12	27.3	9	13.8
	IDU	2	4.5	8	12.3
	MSM/IDU	0	0.0	2	3.1
	Heterosexual	6	13.6	10	15.4
	Blood Prod.	0	0.0	1	1.5
	Pediatric Risk	0	0.0	2	3.1
	Other/Unk	24	54.5	33	50.8
	<i>Total</i>	<i>44</i>	<i>100.0</i>	<i>65</i>	<i>100.0</i>

****Cases reported and confirmed through December 2006***